Sandia National Laboratories Primary Hazard Screening (PHS)

Printed: 07/19/2010

PHS Number: SNL06A00922-004

CINT Rms: 1522 & 1523 - Lithography Bay and

Chase

I. Signatures (Electronic signature dates shown)

Risk Management Determination

Hazard Classification: Low Required Documentation: PHS with integral HA

Facility/Project Designator: Non-nuclear Facility Date Created: 01/13/2010

DOE Order References: 425.1C Results as of: 01/26/2010

Activity-level PHS: N

Author / Technical Review:

I am knowledgeable of the activities and hazards covered by this PHS and, after doing due diligence, the description, notes, identified hazards, analyses, and other information contained in this PHS are complete and accurate.

Author: Nogan,John Org: 01132 01/21/2010 19:19:32

The description and notes describe and scope the activities performed under this PHS. All hazards have been identified. Questions are answered correctly and, as necessary, rationale or clarification is provided. All hazards in the HA have been analyzed, including the identification of controls for each hazard. I have performed the above reviews and concur that those items are complete and accurate.

ES&H Coordinator: Starr, Michael Org: 01131 CONCUR - 01/25/2010

Quality Review:

This PHS meets minimum Corporate standards for 1) description/notes and 2) required information. There are no gross inconsistencies. I have performed the above reviews and concur that those items are complete and accurate.

PHS Team: Costanzo, Jessica Amoret Org: 04126 CONCUR - 01/26/2010

Approver:

The description and notes describe and scope the activities performed under this PHS. All hazards have been identified. Questions are answered correctly and, as necessary, rationale or clarification is provided. All hazards in the HA have been analyzed, including the identification of controls for each hazard. I have reviewed this PHS and concur that its contents are accurate and complete. I will ensure that the requirements and commitments in this PHS are implemented prior to the start of work.

PHS Number: SNL06A00922-004 Page 1 of 28

Title: CINT Rms: 1522 & 1523 - Lithography Bay and Chase Printed: 07/19/2010

Approving Manager : **Hearne,Sean J.** Org: **01132** APPROVE - **01/26/2010**

PHS Number: SNL06A00922-004 Page 2 of 28

II. PHS Purpose, Limitations, and Use in Work Planning and Control

Purpose of the PHS

For the scope of work identified, the PHS identifies:

- High-level (primary) hazards (e.g. chemicals, toxic gasses, explosives)
- Some, but not all controls (e.g. PPE, respirators, ventilation, lockout/tagout, and NEPA), please see the <u>limitations section</u>, below for additional information.
- A Hazard Classification, which determines the requirements for additional Safety Basis documents [e.g., Hazard Analysis (HA), Safety Assessment (SA), Safety Assessment Document (SAD), Documented Safety Analysis (DSA) etc.]

Printed: 07/19/2010

- For the hazards and controls identified, the PHS enables the identification and communication of:
 - Requirements documents (such as ES&H Manual chapters, sections, and supplements) that must be reviewed to determine specific requirements applicable to the work
 - ES&H Manual-required training
 - o Action and Warning messages that highlight key requirements.

The Hazard Analysis section of the PHS is used to perform a high-level hazards analysis and controls selection for hazards with a Hazard Classification of 'Low' and, optionally, for Standard Industrial Hazards (SIH).

Limitations of the PHS for Use in Activity-level Work Planning and Control

Unless additional information is specifically added, a PHS <u>does not</u> contain all of the detail necessary to identify and control hazards at the activity/task level. The reasons for this include:

- PHSs are typically written at the project or work-area level and therefore, do not contain sufficient detail
 about individual tasks or the hazards/controls associated with them.
- While the PHS provides requirements for the hazards and controls identified, it <u>does not</u> provide a
 comprehensive list of all requirements in the ES&H Manual and related documents. Furthermore, many of the
 requirements are identified by reference to sections of the ES&H Manual, which must be evaluated for
 requirements applicable to the specific work being performed.
- It is impractical to ask enough questions to generate the level of detail necessary for activity/task-level hazard identification and control; human analysis must be employed. Consequently, details must be developed by a work planner, including:
 - o Specific details about the hazard (e.g. what chemical, which laser, when, under what conditions, and where)
 - Other controls needed, since the only controls automatically identified are the ones with ES&H Manual requirements that result from their use. Important controls, such as access control, interlocks, shielding, monitoring, and personnel qualifications are not identified.
 - Specificity about controls (e.g. type of PPE, ventilation specifications)
 - <u>Details</u> on how and when you implement each control
 - o Information on who needs to take what training

PHS Number: SNL06A00922-004 Page 3 of 28

Recommended Use of the PHS to Support Activity-Level Work Planning & Control

The information developed in the PHS and any resultant Safety Basis documents should be utilized when performing the subsequent task of activity-level hazard identification, analysis, and control selection, where (1) the major work steps are identified; (2) the hazards associated with each major step are identified and analyzed; and (3) the controls for each hazard are identified and verified to be adequate to protect the involved workers. For the vast majority of work performed at Sandia, the Job Safety Analysis form (SF 2001-JSA) or equivalent is the recommended tool to use for this purpose. The JSA provides a systematic process for a team of involved workers and SMEs to ensure the activity-level work scope is rigorously analyzed to identify all potential hazards and specify appropriate controls for each hazard. Information from the PHS and Safety Basis documents is used as an input in developing the JSA, and the results of the JSA are used to develop TWDs, procedures, or other work instructions as appropriate.

Printed: 07/19/2010

In some cases, the PHS system may be used for activity level hazard identification, analysis, and controls identification, however, the PHS usually must be supplemented with additional information to provide the level of detail necessary to serve this purpose. In these cases, a PHS should be designated as an "Activity-Level PHS" on the PHS General Information page; however, these PHSs will be reviewed during the review and approval process to confirm that they contain the detail necessary to identify the hazards and controls at any stage of the work being performed. If determined to not be adequate, options include (1) revising the PHS to include adequate information; or (2) removing the "Activity-Level PHS" designation, and using a JSA/JSA-equivalent process to perform activity-level hazard identification, analysis, and control selection.

PHS Number: SNL06A00922-004 Page 4 of 28

III. Table of Contents

I. Signatures (Electronic signature dates shown) page 1
Risk Management Determination
II. PHS Purpose, Limitations, and Use in Work Planning and Control page 3
III. Table of Contents
IV. General Information
Question Set Version page 7
Document Status
Radiological Protection Level
Description
Notes from Document or Interview
Locations page 7
Responsible Organization History
Planned Changes page 8
V. Identified Hazards
VI. Required Actions
Off-Site Requirements page 1
Warning Messages page 1
Action Messages
Required Training
Regulatory Requirements
VII. Related Documents page 1
NEPA Documents page 1
Other Documents page 1
Permits
VIII. Primary Hazard Screening Worksheets
Interview Worksheet

Controls worksneet
IX. Hazard Analysis
X. Supplemental Information page 25
PHS Input page 25
Notes from Interview Questions page 25
Notes from Controls Questions
User Entered Hazard Tables
Environmental Concerns Hazards
Thermal Hazards page 26
PHS Output - Results and Conclusions page 26
Major Safety Concerns
Other Safety Concerns
Required Training
Results Based On Answers page 27
Interquestion Dependency Concerns page 27
XI. EOC Concerns

IV. General Information

Document Status

Question Set Version: I

Status: **APPROVED** Expiration Date: **01/26/2011**

Responsible Organization: 01132

Radiological Protection Level for this facility or project: None

Description

Room 1522 and 1523 are designated the lithography room and chase, respectively. Chase 1522's function is to provide space for the return air from lithography room 1523, and to house the gas lines, electrical outlets, vacuum pumps, and exhaust handling system. No laboratory experiments will be performed in this area. However, the area will be used for routine maintenance of the equipment in 1523 and to provide storage for lab user PPE (Personal Protective Equipment). Room 1523 will be used for the process and associated metrology of contact mask lithography. This includes processing of industry standard photoresist, which typically requires spinning the photoresist on a wafer followed by exposing using a UV contact mask aligner and baking at up to 250C on a hot plate or in a oven. The photoresist is then typically developed using a base such as KOH (Potassium Hydroxide) or TMAH (Teramethylammonium Hydroxide) and can be removed using a common solvent. An O2 (oxygen) plasma or atmospheric O3 (ozone) surface clean typically follows the develop step to remove residual photoresist. Metrology equipment used in this process includes an optical microscope for visual inspection.

Printed: 07/19/2010

Notes from Document or Interview

General Document Notes

Locations

Primary Location

Site: SSTP Area: No Tech Area Bldg: 518 Room: 1522

PHS Number: SNL06A00922-004 Page 7 of 28

Other Locations

Site	Area	Building	Room	Description
SSTP	No Tech Area	518	1523	

Printed: 07/19/2010

Responsible Organization History				
Organization Number		This Org. Submitted Document for Review		
01132	06/11/2004	Υ		

Planned Changes

Added LEV reference, removed any references relating to acid chemistries, updated hazardous waste quantities and waste disposal process. Included updated electrical safety information relating to electric shock and fire prevention.

PHS Number: SNL06A00922-004 Page 8 of 28

V. Identified Hazards

Hazard Name	Hazard Description	Source (Question or Table)
traffic related hazards	traffic related hazards for injury	Required by general corporate business process
common electrical hazards	common electrical hazards	Required by general corporate business process
Use or storage of chemicals	Potential personnel exposure to chemicals & fire protection regulatory requirements	QUESTION 5
Unbound Engineered Nanoscale Particles (UNP)	Unbound Engineered Nanoscale Particles(UNP); Potential inhalation and dermal exposure to UNP.	QUESTION 5c
Standard industrial levels of chemicals	Corrosive chemical; Potential exposure to skin and eyes.	QUESTION 5e
Noncompliant storage, dispensing, or use of flammable/combustible liquids could cause fire/explosion.	fire/explosion hazard	QUESTION 5h
Chemical physical hazards	hazards from fires, reactions, and explosions	QUESTION 5i
Exposed and energized electrical circuits	potential electrical shock or arc	QUESTION 6a
Electrical equipment operating at 50V or greater that is not NRTL-approved	unknown hazard potential since items have not gone through the standards, testing rigor, and hazard analysis associated with an NRTL-evaluation	QUESTION 6d(1)
Standard industrial mechanical hazards	potential injury from mechanical forces	QUESTION 7
Portable power tools	potential injury from portable power tools	QUESTION 7b
Standard industrial nonionizing radiation source	Potential exposure to nonionizing radiation.	QUESTION 8a
Nonionizing radiation	Potential exposure to nonionizing radiation below exposure limits.	QUESTION 8a(1)
Standard industrial thermal hazard(s)	Contact with hot or cold objects	QUESTION 9a
Environmental concern below LOW hazard classification requirements.	potential for regulatory action	QUESTION 15
Wastewater discharge, SIH hazard	potential to exceed permitted amounts	QUESTION 15a
General Wastewater discharge, SIH hazard	potential to exceed permitted amounts	QUESTION 15a(1)
Air discharge, SIH hazard	potential to emit regulated contaminants	QUESTION 15b
Regulated chemicals	potential to emit regulated contaminants	QUESTION 15b(3)
Hazardous Wastes	potential for regulatory action	QUESTION 15d

Printed: 07/19/2010

PHS Number: SNL06A00922-004 Page 9 of 28

Title: CINT Rms: 1522 & 1523 - Lithography Bay and Chase Printed: 07/19/2010

VI. Required Actions

Off-Site Requirements:

NONE

Warning Messages:

- 1. There are a variety of requirements applicable to chemicals. Refer to the portions of MN471001 ES&H Manual relevant to the activities being performed for requirements. Comment added: The requirements for chemical usage have been implemented per Corporate procedures ESH100.2.IH.1 Maintain a Workplace Free from Chemical, Physical, Biological, and Safety Workplace Hazards and ESH100.2.IH.4 Evaluate and Control Chemical Hazards. (QUESTION 5)
- 2. Flammable and combustible liquids must be bonded in accordance with the requirements in: The Sandia, "Log of Consultation." Comment added: The "Log of Consultation" will be reviewed and the applicable requirements will be implemented for bonding of flammable and combustible liquids. (QUESTION 5g)
- **3.** Any activity inside the Limited Approach Boundary is considered working near energized parts and requires a senior-manager-approved technical work document (TWD). (QUESTION 6a)
- **4.** There may also be requirements for waste minimization and documentation of waste minimization efforts/results. Contact the Pollution Prevention Team for assistance with waste minimization. **Comment added:** Requirements for waste minimization and documentation of waste minimization efforts/results are implemented as necessary. (QUESTION 15d)

Action Messages:

- 1. Where eyes or body of any person may be exposed to injurious corrosive materials, suitable facilities for emergency quick drenching or flushing of the eyes and body shall be provided within the work area for immediate emergency use. See MN471001, ES&H Manual, Section 6M, "Safety Showers and Eyewashes," for requirements and guidance. Comment added: There is a emergency eyewash/shower located in this area and it is tested on a regular basis. (QUESTION 5e)
- 2. Contact Site Fire Marshal for an Operational Permit. See the ES&H Direct Access Services List. Comment added: A Line, Facilities, and ES&H team is identifying corrective actions to address site-wide issues with maximum allowable quantities for hazardous materials. Therefore, Operational Permits are not being issued at this time. Once corrective actions are identified, Operational Permits will be addressed by the Facility Fire Protection Assessment process (AP-230). (QUESTION 5g)
- 3. Refer to "Log of Consultation," with a subject of, "Storage, Dispensing, Bonding, and Grounding of Flammable and Combustible Liquids." Contact Fire Protection Engineering for assistance. See the ES&H Direct Access Services List. Comment added: The "Log of Consultation" will be reviewed and the applicable requirements will be implemented for bonding of flammable and combustible liquids. (QUESTION 5h)
- **4.** Work on energized electrical circuits is restricted to certain individuals. Ensure only qualified personnel perform work on electrical equipment/systems at SNL. It is the responsibility of the department manager to determine an employee's electrical qualifications. To become qualified to perform electrical work a person shall do the following:

Demonstrate a familiarity, through interview, demonstrated experience (i.e., resume/review) or direct observation, with the hazards of the workplace and the specific equipment to be worked on, as well as any associated ES&H Standard Operating Procedures (SOPs) and Operating Procedures (OPs). Demonstrate a familiarity, through interview, demonstrated experience (i.e., resume/reference) or direct observation, with electrical maintenance techniques, codes, and other general electrical knowledge. Have qualifications reviewed and approved by their department manager to ensure they are qualified for a particular job assignment.

NOTE: A person qualified to work with certain equipment may be considered "unqualified" to work on similar equipment without first being advised of any differing hazards involved. (QUESTION 6a)

5. Use a technical work document (TWD) to perform energized work as follows: If the energized work is diagnostic (such as troubleshooting, measuring voltage, etc.), an OP is required. You can find an example of a completed energized electrical OP on the Electrical Safety homepage. This could easily be used as a template

PHS Number: SNL06A00922-004 Page 10 of 28

for any R&D electrical activity. If the work involves manipulation or reconfiguration of an energized component, an Energized Work Permit (EWP) must be completed. A EWP is needed each time such tasks are to be completed. An EWP may be obtained from the SNL internal web under Corporate Forms EWP-SF2005-EWP (10-2005). (QUESTION 6a)

- **6.** The energized work decision tool shall be used to determine PPE and hazard analysis requirements. Prior to PPE use, workers shall receive site-specific PPE training. See MN471001, ES&H Manual, Section 4L, "Personal Protective Equipment (PPE)" for requirements and guidance regarding site-specific PPE training. See MN471004, Electrical Safety Manual, Chapter 2 "General Requirements," "2.10 Personal Protective Equipment," for requirements and guidance. (QUESTION 6a)
- **7.** All electrical equipment that is not NRTL-listed must be evaluated by an authorized equipment inspector. Contact your ES&H Coordinator for additional information on equipment inspections or to identify an authorized equipment inspector. (QUESTION 6d(1))
- 8. Implement actions and control measures specified in the applicable Industrial Hygiene exposure assessment. Comment added: Controls identified in the ESHER evaluation have been implemented. (QUESTION 8a)
- **9.** In California, Contact the Air SME if any of the chemicals being used are listed on the Toxic Air Contaminants Table. (QUESTION 15b(3))
- 10. As required by the ES&H Manual, Section 19A, "Hazardous Waste Management," Members of the Workforce who are owners or generators of hazardous waste **shall plan** how to control hazards and appropriately manage their hazardous waste. **Comment added: All requirements in ESH100.2.ENV.22 Manage Hazardous Waste at SNL/NM are followed.** (QUESTION 15d)

Required Training

[Note: This training is a regulatory requirement for one or more people involved in operations associated with identified hazards. Each class may not be required by all people working in the area.] Please note that some training classes are only provided occasionally. Please be sure to allow adequate lead-time for personnel to schedule and complete training.]

Course Code	Course Title	Exclusions	Training Interval (Years)	One-time Training
CHM103	SITE- SPECIFIC CHEMICAL SAFETY TRAINING		2	No
ELC106	R&D ELECTRIC AL SAFETY (> 50 VOLTS)	ELC106, unless not required by the energized work decision tool		Yes
ELC106R	R&D ELECTRIC AL SAFETY REFRESHE R (> 50 VOLTS)	unless not required by the energized work design tool.	3	No
ENV112	HAZARDO US WASTE & ENVIRONM ENTAL MANAGEM ENT TRAINING	(all locations other than SNL/CA will take ENV112)	1	No

PHS Number: SNL06A00922-004

Printed: 07/19/2010

Printed: 07/19/2010

Course Code	Course Title	Exclusions	Training Interval (Years)	One-time Training
ESH100	ES&H AWARENE SS		1	No
ESH200	SAFETY MANAGEM ENT			Yes
HAZ101	EMPLOYEE BASIC HAZCOM	LAB100 is acceptable for emergency response activities, if already completed	2	No
HAZ103	SITE- SPECIFIC HAZCOM		2	No
LAB100	RY	LAB100 (HAZ101 is acceptable if already taken)	2	No
LAB103	SITE- SPECIFIC LABORATO RY SAFETY TRAINING		2	No
NANO101	NANOTEC HNOLOGY SAFETY AWARENE SS TRAINING		3	No
PPE106	PERSONAL PROTECTI VE EQUIPMEN T TRAINING		2	No

PHS Number: SNL06A00922-004

Regulatory Requirements

Regulatory and Standards Drivers for this Facility or Lab:

[Note: ES and H Manual sections listed below contain requirements and guidance that pertain to the hazards you have identified in this PHS. It is your responsibility to ensure these requirements have been fulfilled.]

Printed: 07/19/2010

- 1. (QUESTION 5) MN471001, ES&H Manual, Section 6D, "Hazard Communication Standard," and Section 6E, "Laboratory Standard Chemical Hygiene Plan"
- 2. (QUESTION 5) MN471001 ES&H Manual, Section 6E, Laboratory Standard Chemical Hygiene Plan
- 3. (QUESTION 5) MN471001, ES&H Manual, Section 6U, "Hazardous Material (Chemical and Biological) Inventory"
- 4. (QUESTION 5c) MN471001, ES&H Manual, Section 6Q, "Nanotechnology Safety" (RQ_MN471001_06Q)
- 5. (QUESTION 5e) MN471001 ES&H Manual, Section 6M, "Safety Showers and Eyewashes"
- 6. (QUESTION 5h) MN471001, ES&H Manual, Section 5A, "Fire Protection Requirements"
- 7. (QUESTION 6a) MN471001 ES&H Manual, Section 4L, "Personal Protective Equipment (PPE)" for requirements and guidance regarding site-specific PPE training
- 8. (QUESTION 6a) MN471004 Electrical Safety Manual, Chapter 2 "General Safety Requirements," 2.10 "Electrical Personal Protective Equipment," for requirements and guidance
- 9. (QUESTION 6a(2)) MN471004 Electrical Safety Manual, Chapter 2 "General Safety Requirements," "2.2 Qualifications and Training"
- 10. (QUESTION 6d(1)) MN471004 Electrical Safety Manual, Chapter 4, "Research and Development-Specific Requirements." "4.3 Safe Work Practices"
- 11. (QUESTION 7a) MN471001 ES&H Manual, Section 4N, "Industrial Machine and Portable Power Tool Safety"
- 12. (QUESTION 7b) MN471001 ES&H Manual, Section 4N, "Industrial Machine and Portable Power Tool Safety"
- 13. (QUESTION 8) MN471001 ES&H Manual, Section 6J, "Nonlonizing Radiation"
- 14. (QUESTION 8a) MN471001 ES&H Manual, Section 6J, "Nonlonizing Radiation"
- 15. (QUESTION 8a(1)) MN471001 ES&H Manual, Section 6J, "Nonlonizing Radiation"
- 16. (QUESTION 15a) MN471001 ES&H Manual, Section 10H, "Discharges to the Sanitary Sewer System"
- 17. (QUESTION 15a(1)) MN471001 ES&H Manual, Section 10H, "Discharges to the Sanitary Sewer System"
- 18. (QUESTION 15b) MN471001 ES&H Manual, Chapter 17, "Air Emissions"
- 19. (QUESTION 15b(3)) MN471001 ES&H Manual, Chapter 17, "Air Emissions"
- 20. (QUESTION 15d) MN471001 ES&H Manual, Section 19A, "Hazardous Waste Management" (all locations other than SNL/CA)
- 21. (QUESTION 15d) MN471001, ES&H Manual, Chapter 20, "Waste Management at SNL/CA" (SNL/CA only)
- 22. (QUESTION C1) Corporate Procedure: ESH100.2.IH.15, "Control Hazards Using Local Exhaust Ventilation and High Efficiency Particulate Air Filters"
- 23. (QUESTION C2) MN471001, ES&H Manual, Section 4L, "Personal Protective Equipment (PPE)," "General Requirements for Personal Protective Equipment (PPE)"
- 24. (QUESTION C2a(1)) MN471001, ES&H Manual, Section 4L, "Personal Protective Equipment (PPE)," "General Requirements for Personal Protective Equipment (PPE)"
- 25. (QUESTION C4) MN471001 ES&H Manual, Section 10B, "National Environmental Policy Acy (NEPA), Cultural Resources, and Historic Properties"
- 26. (Required by general corporate business process) MN471001 ES&H Manual, Section 4B, "Electrical Safety
- 27. (Required by general corporate business process) MN471001 ES&H Manual, Section 4K, "Traffic Safety"
- 28. (Required by general corporate business process) MN471001, ES&H Manual, Section 21, "Technical Work Documents (TWDs)"

PHS Number: SNL06A00922-004 Page 13 of 28

VII. Related Documents

NEPA Documents		Project End Date
CINT Integration Laboratories (1501, 1504, 1523, 1525, and 1527)	SNA07-0202	

Other Documents	Number	71.	Published Date
Environmental Assessment for CINT at SNL/NM	DOE/EA-1457	EA	03/01/2006
Standard Operating Procedure for Working with Hazardous and Particularly Hazardous Chemicals in Center 1100 Laboratories	SOP1100.001 Issue D	SOP	07/23/2008

Printed: 07/19/2010

Permits	Number	Туре	End Date
CINT's Authority-to-Construct Permit No. 1725 Actual Date of Initial Start-up	No. 1725	Air	10/11/2004
City of Albuquerque - Wastewater Discharge Permit for CINT	2238A	Water	01/04/2007

PHS Number: SNL06A00922-004 Page 14 of 28

VIII. Primary Hazard Screening Worksheets

Version of Questions:I

Operation Type:Facility or Lab

Interview Worksheet:

	Questions	Answers
1	Radiation-Generating Devices (RGDs): Is there a radiation-generating device (RGD)? (Answer this question "no" if the RGDs are registered in storage.)	No
2	Radioactive Materials: Is radioactive material present?	No
3	Explosives and Ammunition: Are any explosives or ammunition (including explosive waste) managed, handled, processed, used, or stored?	No
4	Lasers: Do the activities covered by this PHS involve Regulated Laser Activities?	No
5	Chemicals: (Review the Help text before answering this question.) Do the activities involve chemicals?	Yes
5a	Has the Industrial Hygiene Program performed an exposure assessment of all of the current activities involving chemicals covered by this PHS?	Yes
Notes: ES	S&H Evaluation Report - ER2007-2646	
5a(1)	Did the results of the exposure assessment determine that workers are exposed to chemicals above an occupational exposure limit (regardless of respiratory protection)?	No
5b	Do any of the activities include?	No
	 Cleanup operations at hazardous waste sites (e.g., environmental restoration [ER] sites Hazardous waste operations at treatment, storage, and disposal (TSD) facilities Emergency response or post-emergency response 	
5c	Will activities have, use, synthesize, or liberate unbound engineered nanoscale particles (UNP)?	Yes
5d	(Review the help text before answering this question.) Do the activities involve storage or utilization of simple asphyxiants?	No
5e	Are the hazardous chemicals, hazardous substances, or hazardous waste involved in these activities considered corrosive materials?	Yes
5f	Do these activities involve the use of hydrofluoric acid?	No
	cids are not allowed in this area, hydrofluoric acid and hydrogen fluoride containing chemist ent at one processing bench in the metals area room 1525.	ries are
5g	Do chemicals used in the activities meet or exceed the Operational Permit Amounts for hazardous materials listed in the International Fire Code (IFC) and National Fire Protection Association (NFPA) Guidance? (Please see IFC 105.6.20 Table 25-1 in the Help file for SNL Fire Protection's implementation requirements.)	Yes
	Line, Facilities, and ES&H team is identifying corrective actions to address site-wide issues a allowable quantities for hazardous materials.	with
5h	Do the activities involve the storage, dispensing, or use of flammable or combustible liquids?	Yes

Printed: 07/19/2010

PHS Number: SNL06A00922-004 Page 15 of 28

	Questions	Answers
5i	Do activities involve any of the following?	Yes
	 Flammable chemicals in quantities greater than 5 liters of liquid, 1 kg of solid, or 500 cubic feet of gas (at STP) in any single container or manifolded series of containers Equipment connected to a house system for flammable gases Reactive chemicals in quantities greater than 1 liter of liquid, 100 g of solid, or 500 cubic feet of gas in any single container or manifolded series of containers Oxidizers, other than nitric acid, in quantities greater than 5 liters of liquid, 1 kg of solid, or 500 cubic feet of gas in any single container or process Pyrophoric chemicals in total quantities greater than 500g Metal powders in quantities greater than 1 kg 	
5i(1)	Is a flammable gas used for purposes OTHER THAN comfort heating or non-process hot water (e.g., restroom use)?	No
5j	Do the activities include a process that involves highly hazardous chemicals at or above twenty-five percent of the Process Safety Management standard threshold quantities, or are there flammable liquids or gases involved in a process in a quantity of greater than 2,500 pounds?	No
5k	Do activities use or store toxic gases in quantities greater than the de minimus quantities listed in the Help file?	No
51	(Refer to help file to determine if quantities have been exceeded.) Do the activities use or store hazardous chemicals in quantities equal to or greater than the Emergency Management screening threshold quantities?	No
6	Electrical: Do workers conduct any of the following tasks?	Yes
	 Work on or near (within the limited approach boundary - 3.5 feet) exposed and energized (greater than or equal to 50 volts) electrical circuits or contact energized electrical circuit parts with tools or test probes? Operate circuit breakers or disconnect switches operating at or above 50 Volts and 5 mA or more? Perform non electrical work, but might contact exposed and energized electrical circuits - operating at 50 volts or greater - with equipment or materials, such as ladders, cranes, paint roller extensions, or forklifts? Use Equipment that operates at 50 Volts or more and is not listed by an OSHA approved Nationally Recognized Testing Laboratory (e.g., UL) and operating at over 50 Volts, including extension cords or power strips? 	
6a	Do workers work on or near (within the limited approach boundary - 3.5 feet) exposed and (greater than or equal to 50 volts) energized electrical circuits or contact energized electrical circuit parts with tools or test probes?	Yes
	schine troubleshooting sometimes may require the measurement of 120 Vac circuits within a . However these areas normally required tools to gain access.	a tool's
6a(1)	Are circuit parts storing 10 Joules or more, associated with Marx generators or pulsed power circuits?	No
6a(2)	Are circuit parts associated with facility type electrical distribution systems?	No
6b	Do workers operate circuit breakers or disconnect switches operating at 50 Volts or more and 5 mA or more ?	No
6c	Do workers perform non electrical work , but might contact exposed and energized electrical circuits - operating at 50 volts or more - with equipment or materials, such as ladders, cranes, paint-roller extensions, or forklifts?	No

Printed: 07/19/2010

PHS Number: SNL06A00922-004 Page 16 of 28

Printed: 07/19/2010

Questions Answers 6d Do workers use equipment that operates at 50 Volts or more and is not listed by an Yes OSHA-approved Nationally Recognized Testing Laboratory (e.g., UL), including extension cords and power strips? Notes: Several tools used in this area are systems that as an assembly are not UL or OSHA approved (no labels). However these particular systems are assembled with UL recognized or approved components and materials. 6d(1) Have all of the non-NRTL-approved electrical equipment or appliances been approved No and documented using the Sandia non-NRTL-evaluation process? 7 **Mechanical:** Does the facility or activity involve any of the following hazards or Yes activities? - machine shop equipment - portable power tools - powder-actuated tools - centrifuge operations - forklifts - motorized hand trucks - cranes/hoists, miscellaneous lifting devices, - industrial robots or industrial robotic systems - operate light or heavy earth-moving equipment - excavations - trenches - floor or wall penetrations - stored or kinetic mechanical energy that could cause an injury during normal working conditions Do workers operate machine shop equipment? No 7a 7b Do workers operate portable power tools? Yes 7c Do workers operate powder-actuated tools (also known as explosive-actuated fastening No tools)? Does this facility or project activity use centrifuges? 7d No 7e Are forklifts used in any operations? No 7f Are motorized hand trucks used in any operations? No 7g Are overhead cranes/hoists, mobile cranes, miscellaneous lifting devices (shop or No gantry crane), or rigging used in any operations? 7h Are industrial robots or industrial robotic systems used in this project or activity? No 7i Do workers operate light or heavy earth-moving equipment? No Do workers perform or come into close proximity to any of these activities: 7i No Excavations - Trenches - Floor or Wall Penetrations 7k Do activities involve stored or kinetic mechanical energy that could cause an injury No under normal working conditions?

PHS Number: SNL06A00922-004 Page 17 of 28

	Questions		Answers
8	Nonionizing Radiation: At any time, do activities produce nonionizing radiation (NIR) (excluding lasers)?		Yes
8a	Has the Industrial Hygiene Program performed an exposure assessment of the sources of nonionizing radiation covered by this PHS in their current configuration?		Yes
8a(1)	Based on the exposure assessment performed by the Industrial Hygiene Program, are nonionizing radiation sources capable of resulting in an exposure above the applicable exposure limits?		No
Notes: ES	S&H Evaluation Report - ER	32007-2646	
8a(2)	Could a person not directly associated with the intentional emitter activities, including a member of the general public, have unrestricted access into an area that exceeds published exposure limits for radio frequencies or microwaves?		No
9	Thermal: Do thermal haz	ards or thermal stressors exist in the work area?	Yes
Thermal	Hazards		
Source Nar	me	Temperature	
Hot plates		300 C	
		Location: Site: SSTP, Area: No Tech Area, Building: 518, Room: 1523	

Printed: 07/19/2010

No

	Questions	Answers
9a	Do thermal hazards exist in the work area in such a manner that Members of the Workforce may be exposed under normal conditions or in a foreseeable emergency?	Yes
9b	Do thermal stressors exist in the work area?	No
10	Pressure: Are workers involved in the design, installation, operation, or maintenance of a pressure system (including pressure, vacuum, cryogenic fluid applications)?	No
11	Noise: At any time, do activities produce potentially high noise levels?	No

- Noise that would require you to raise your voice to be heard by another person three feet away (greater than 85 decibels) (potential sources include: compressors, shredders, heavy machinery, saws, grinders, pumps, etc.)
- High impulse/impact noise (potential sources include: explosions, gunshots, jackhammers, pressure releases, etc.)
- Ultrasound noise (potential sources include: ultrasonic welders, ultrasonic cleaners, and turbo-pumps, fluid flow, etc.)
- Miscellaneous Hazards: Does the facility or activity involve any of the following hazards or activities?
 - Ergonomic or musculosketal stressors
 - Construction-like activities
 - Work around asbestos
 - Ladders
 - Elevated surfaces (other than ladders)
 - Commercial underwater diving
 - animals and hazardous Plants
 - Aircraft
 - Airborne objects (other than aircraft)
 - Firearms
 - Use of human subjects
 - Use of Sealed Drums

PHS Number: SNL06A00922-004 Page 18 of 28

Questions Answers 13 Outside of Manufacturer's Recommendations: Does this work involve the use of No equipment, tools, or materials outside of their design specifications or outside of the manufacturer's recommendations? (See Help Text for examples). Please enter each item into the hazard table. 14 Non-Commercial Hazards: Does this work involve the use of noncommercial No equipment or apparatus (excluding robots, robotics systems, and equipment where the only hazard is a pressure system that has a pressure safety data package)? Please enter each noncommercial piece of equipment into the hazard table. 15 Environmental Concerns: Are there any potential environmental concerns with this Yes activity that align with the SNL Environmental Management System (EMS) aspects, such as chemical use, fuel or oil storage, waste generation (except sanitary trash), construction activities, disturbance to habitat or protected species, or discharges to the air, ground surface, ground water, or the sewer systems?

Printed: 07/19/2010

Environmental Concerns Hazards		
Source Name	Туре	Est. Quantity
Bases Waste (Liquids)	Hazardous Waste	16 gal/yr
	Location: Site: SSTP, Area: No Tech Area, Building: 518, Room: 1523 Location Details: Optical Lithography Bay - Base Bench Comments: Base waste generated in 1523 will be introduced in small quantities to the facility's AWN (Acid Waste Neutralization)System for treatment. The AWN system is designed to process both acid and base waste streams.	
Solvent Waste (Liquids)	Hazardous waste	15 gals/yr
	Location Details: Optical Lithogra Comments: All solvent waste ger carboy that is integrated into the	nerated in 1523 will be collected in a single (4.5) gallon solvent bench. Once the carboy becomes full, the waste sposable (5) gallon container for processing through Sandia's n.
Base Waste (Solids)	Hazardous Waste	15 kg/yr
	Location: Site: SSTP, Area: No Tech Area, Building: 518, Room: 1523 Location Details: Optical Lithography Bay - Base Bench Comments: Solid waste with base residue from processing operations. This waste may consist of cleanroom wipes, cleaning pads and other base contaminated materials. Waste material is collected in a single properly marked waste can and subsequently processed through Sandia's hazardous waste handling system.	
Solvent Waste (Solids)	Hazardous Waste	50 kg/yr
	Location: Site: SSTP, Area: No Tech Area, Building: 518, Room: 1523 Location Details: Optical Lithography Bay - Spinner Bench Comments: Solid waste with solvent residue from processing operations. This waste may consist of cleanroom wipes, pippet syringes, small containers and other solvent contaminated materials. Waste material is collected in one of two properly marked waste cans located in the spinner bench. The waste is processed through Sandia's hazardous waste handling system.	

	Questions	Answers
15a	Wastewater: Are there any wastewater discharges in this activity?	Yes
15a(1)	General Discharges: Are the wastewater discharges of a general nature, such as the washing and rinsing of laboratory glassware and/or process components?	Yes
15a(2)	Categorical Processes: Are the wastewater discharges from a categorical process or does the activity contain a zero discharge categorical process?	No
15a(3)	Will this activity use more than 1,000 gallons of water per day?	No
15b	Air: Are there any air discharges or emissions at this activity?	Yes

PHS Number: SNL06A00922-004 Page 19 of 28

	Questions	Answers
15b(1)	Ozone Depleting Substance (ODS): Are there any ODSs at this activity?	No
15b(2)	Will this activity include the installation and or use of combustion equipment ? Combustion equipment includes boilers and internal combustion engines, such as generators.	No
15b(3)	Will this activity include the use of chemicals that could be Clean Air Act Regulated?	Yes
15b(4)	Will this activity involve open-burn activities?	No
15b(5)	Will this activity involve soil disturbance , building demolition , or construction that disturbs soil , including access roads and staging areas?	No
15b(6)	Radionuclide NESHAP: Are there any radionuclide air discharges or use of radionuclides in gaseous form or at elevated temperatures at this activity?	No
15c	Radioactive Waste: Will this activity generate any radioactive waste, or will Members of the Workforce be required to handle radioactive waste?	No
15d	Hazardous Waste: Will this activity generate any hazardous waste, or will Members of the Workforce be required to handle hazardous waste?	Yes
15d(1)	Less-Than-90-Day Accumulation Area: Will this activity store any hazardous waste in a less-than-90-day accumulation area?	No
15d(2)	Acutely Hazardous Waste: Will this activity generate any acutely hazardous waste?	No
15d(3)	Waste Containing Mercury: Will this activity generate any waste containing mercury (e.g., switches, thermometers, manometers, elemental mercury (Hg), or mercury compounds [e.g., mercuric oxide (HgO)], etc,)?	No
15e	Mixed Waste: Will this activity generate any mixed waste , or will Members of the Workforce be required to manage mixed waste?	No
15f	Infectious / Biohazardous Waste: Will this activity generate any infectious or biohazardous waste, or will Members of the Workforce be required to handle infectious or biohazardous waste?	No
15g	Radioactive Contamination: Will this activity be conducted in an area for which a reasonable potential exists for introducing radioactive contamination or causing activation of material that may become waste?	No
15h	Material or Waste of Unknown Origin: Will this activity require handling material or waste of unknown origin?	No
15i	Fuels and Oil Storage: Does this activity use a fuel or oil storage container capable of containing 55 gallons or more?	No
15j	Discharges to Ground Surface: Does this activity have a potential for any discharges to the ground surface?	No
15k	Improvements/modifications to structure/building exteriors and landscaping: Will this project involve activities that require modifications to the exteriors of structures and buildings or modification to existing landscape, including removal of vegetation?	No
15	Disturbance to habitat or protected species : Will this project involve activities that will disturb habitat or protected species, including wildlife management and outdoor projects or testing activities?	No
16	Packaging and Transportation of Hazardous Materials: Will any activities covered by this PHS involve the packaging and transportation of hazardous material (including explosives or radioactive material)?	No

Printed: 07/19/2010

PHS Number: SNL06A00922-004 Page 20 of 28

Title: CINT Rms: 1522 & 1523 - Lithography Bay and Chase Printed: 07/19/2010

Questions Answers 17 Fire Protection Concerns: Will the activity include any of the following? No - Members of the Workforce modifying in any way any fire suppression or life safety system (fire rated walls, fire doors, fire sprinklers, fire alarm devices, fire extinguishers, or means of egress)? - Members of the Workforce performing hot work in association with this facility or project activity? 18 Biological Materials: (see Help text before answering this question.) Do activities No involve the use of or potential exposure to biological materials? Confined Spaces: Are confined spaces present in the work area? 19 No Beryllium: Do operations include any activities that? (Review the Help text before 20 No answering this question) - Use or handle beryllium, beryllium-containing alloys or beryllium oxides? - Create or work with beryllium ceramics? - Handle waste potentially-contaminated with beryllium or waste containing beryllium? - Perform **decontamination** of beryllium contamination? - Entail work in a beryllium contaminated building or area? - Apply abrasive or destructive methods to metal objects, articles, weapon components or bar stock, potentially containing beryllium? - Use non sparking tools containing beryllium? 21 Other Hazards: Are there any: No - Hazards that have **not been adequately addressed** in other questions. (e.g., polar bears, foreign travel, specific chemical hazards, natural hazards [e.g., wind, excessive water, radon, or overhead trees]), or

- Hazards of **unknown magnitude** (e.g., emergency response, hazards encountered by roving personnel)

Enter all of these hazards in the User-Specified Hazards table. Enter "Low" as the Hazard Classification for hazards of unknown magnitude, unless the Safety Basis Department has determined otherwise.

PHS Number: SNL06A00922-004 Page 21 of 28

Controls Worksheet:

Questions Answers Yes C₁ Local Exhaust Ventilation: Do the activities covered by this PHS use local exhaust ventilation (LEV) (e.g., laboratory hoods, glove boxes, downdraft tables, "elephant trunks," canopy hoods, paint booths, slot ventilation, portable welding ventilation, etc.)? Notes: Spinner bench, solvent bench, based bench, five (5) hot plates, DUV (Deep Ultraviolet) aligner, barrel ash O2 plasma system, and atmospheric ozone cleaner are in use in this area and are all monitored under Sandia's LEV program. C2 Personal Protective Equipment: Are hazards (e.g., chemicals radiological, electrical, Yes mechanical, thermal, flying particles and/or falling or rolling objects) encountered that are capable of causing injury or impairment in the function of any part of the body through absorption, inhalation, or physical contact? C2a Has a workplace hazard assessment been performed for the activities covered by this Yes PHS? C2a(1) Did the workplace hazard assessment determine that personal protective equipment will Yes be required? C2a(1)a Has the workplace hazard assessment determined respiratory protection is required? No C2a(2) Does the workplace hazard assessment allow voluntary use of respiratory protection? No C3 Control of Hazardous Energy (LOTO): Do you have any equipment in your No operations that requires any of the following activities? - Construction - Installation - Setup - Adjustment - Inspection - Modification - Maintenance - Service - Lubrication - Cleaning - Unjamming - Making adjustments or tool changes C4 Yes **NEPA Compliance:** Has this project or activity been reviewed for National Environmental Policy Act (NEPA) compliance? Are all relevant NEPA documents listed in the Documents section of this PHS? Yes C4a

Printed: 07/19/2010

PHS Number: SNL06A00922-004 Page 22 of 28

Title: CINT Rms: 1522 & 1523 - Lithography Bay and Chase Printed: 07/19/2010

IX. Hazard Analysis (HA) Section

Hazard Analysis

Source Name or Question: Question 6d(1)

Source Reason: Electrical equipment operating at 50V or greater that is not NRTL-approved

Hazardous Condition: Electrocution/Arcs/Fires

PHS Identified 'Low' Hazard.

Author's Comment:

Cause: System/Component/Equipment Failure

Short circuit to neutral or ground.

Consequence: Minor Mission Disruption/Delay

Loss of power to tool and subsequent shut down.

Mitigation: Active Engineering Control-Other

Properly sized circuit breaker or fuse to open circuit in the

event of an overcurrent situation.

Mitigation: Passive Engineering Control-Other

Components and wiring appropriately sized to operate well above the trip point of the overcurrent protection devices.

Author Assessment: Applied Mitigation and Prevention are sufficient.

Preventions/mitigations follow typical NEC

guidelines and industry standards.

Consequence: Death [Worker]

Electrocution if the worker should provide a low impedance path through or the central nervous system heart to ground.

Mitigation: Active Engineering Control-Other

Incorporation of UL approved ground fault interrupt circuit

protection to outlets within 6' of water soures.

Mitigation: Passive Engineering Control-Access Prevention Barrier

(locked door/gate)

Panels with exposed terminals are not easily accessible

and require a tool for removal.

Mitigation: Procedural (Monitoring etc.)-Other

Ground fault interupters are tested for proper operation on

a routine basis.

Author Assessment: Applied Mitigation and Prevention are sufficient.

PHS Number: SNL06A00922-004 Page 23 of 28

Preventions and mitigations described above follow guidlines established by the NEC and are considered to be normal measures to protect against accidental electrocution.

Printed: 07/19/2010

Consequence: Minor Property Damage

Bench or work station fire.

Mitigation: Passive Engineering Control-Other

Work surfaces and immediate areas surrounding the work surfaces are constructed of metal or in the case of the wet sinks UL 94V-0 rated materials. If a fire were to start, the flame would slowly propagate or completely extinguish.

Mitigation: Passive Engineering Control-Fire Barrier (fire

wall/door/coating)

Electrical components and power distribution circuits are enclused in an all metal enclosure. Wiring that travels outside of the electrical enclosure is contained within UL

approved PVC liquid tight flexible conduits and

components.

Mitigation: Passive Engineering Control-Other

Explosion proof hot plates are used on the work surfaces where flammable materials may be present to prevent sources of ignition in the presents of flammable vapors.

Author Assessment: Applied Mitigation and Prevention are sufficient.

Components and materials of construction follow industry standards that prevent the spread of fire.

Note: 19 hazard analysis(es) were not reported, because no (optional) hazard analysis was performed for them.

PHS Number: SNL06A00922-004 Page 24 of 28

X. Supplemental Information

PHS Input

Notes from Interview Questions

- (Q 5a) ES&H Evaluation Report ER2007-2646
- (Q 5f) Acids are not allowed in this area, hydrofluoric acid and hydrogen fluoride containing chemistries are only present at one processing bench in the metals area room 1525.

Printed: 07/19/2010

- (Q 5g) A Line, Facilities, and ES&H team is identifying corrective actions to address site-wide issues with maximum allowable quantities for hazardous materials.
- (Q 6a) Machine troubleshooting sometimes may require the measurement of 120 Vac circuits within a tool's enclosure. However these areas normally required tools to gain access.
- (Q 6d) Several tools used in this area are systems that as an assembly are not UL or OSHA approved (no labels). However these particular systems are assembled with UL recognized or approved components and materials.
- (Q 8a(1)) ES&H Evaluation Report ER2007-2646

Notes from Controls Questions

(Q C1) - Spinner bench, solvent bench, based bench, five (5) hot plates, DUV (Deep Ultraviolet) aligner, barrel ash O2 plasma system, and atmospheric ozone cleaner are in use in this area and are all monitored under Sandia's LEV program.

User Entered Hazard Tables

Environmental Concerns Hazards			
Source Name	Туре	Est. Quantity	
Bases Waste (Liquids)	Hazardous Waste	16 gal/yr	
	Location: Site: SSTP, Area: No Tech Area, Building: 518, Room: 1523 Location Details: Optical Lithography Bay - Base Bench Comments: Base waste generated in 1523 will be introduced in small quantities to the facility's AWN (Acid Waste Neutralization)System for treatment. The AWN system is designed to process both acid and base waste streams.		
Solvent Waste (Liquids)	Hazardous waste	15 gals/yr	
	carboy that is integrated into the sol		
Base Waste (Solids)	Hazardous Waste	15 kg/yr	
	Location Details: Optical Lithograph Comments: Solid waste with base re consist of cleanroom wipes, cleanin material is collected in a single prop	Location: Site: SSTP, Area: No Tech Area, Building: 518, Room: 1523 Location Details: Optical Lithography Bay - Base Bench Comments: Solid waste with base residue from processing operations. This waste may consist of cleanroom wipes, cleaning pads and other base contaminated materials. Waste material is collected in a single properly marked waste can and subsequently processed through Sandia's hazardous waste handling system.	

PHS Number: SNL06A00922-004 Page 25 of 28

Environmental Concerns Hazards		
Source Name	Туре	Est. Quantity
Solvent Waste (Solids)	Hazardous Waste	50 kg/yr
	Location Details: Optical Lithogr Comments: Solid waste with sol consist of cleanroom wipes, pipi contaminated materials. Waste	Tech Area, Building: 518, Room: 1523 raphy Bay - Spinner Bench livent residue from processing operations. This waste may pet syringes, small containers and other solvent material is collected in one of two properly marked waste ch. The waste is processed through Sandia's hazardous

Printed: 07/19/2010

Thermal Hazards	
Source Name	Temperature
Hot plates	300 C
	Location: Site: SSTP, Area: No Tech Area, Building: 518, Room: 1523

PHS Output - Results and Conclusions

Major Safety Concerns

The hazard classification is: Low

The required documentation is: PHS with integral HA

The hazard classification is: Low since this Facility or Lab involves:

(QUESTION 6d(1)) unknown hazard potential since items have not gone through the standards, testing rigor, and hazard analysis associated with an NRTL-evaluation

Other Safety Concerns (potential hazard sources) for this Facility or Lab

(Required by general corporate business process) traffic related hazards for injury

(Required by general corporate business process) common electrical hazards

(QUESTION 5) Potential personnel exposure to chemicals & fire protection regulatory requirements

(QUESTION 5c) Unbound Engineered Nanoscale Particles(UNP); Potential inhalation and dermal exposure to UNP.

(QUESTION 5e) Corrosive chemical; Potential exposure to skin and eyes.

(QUESTION 5h) fire/explosion hazard

(QUESTION 5i) hazards from fires, reactions, and explosions

(QUESTION 6a) potential electrical shock or arc

(QUESTION 7) potential injury from mechanical forces

(QUESTION 7b) potential injury from portable power tools

(QUESTION 8a) Potential exposure to nonionizing radiation.

(QUESTION 8a(1)) Potential exposure to nonionizing radiation below exposure limits.

(QUESTION 9a) Contact with hot or cold objects

(QUESTION 15) potential for regulatory action

(QUESTION 15a) potential to exceed permitted amounts

PHS Number: SNL06A00922-004 Page 26 of 28

(QUESTION 15a(1)) potential to exceed permitted amounts (QUESTION 15b) potential to emit regulated contaminants (QUESTION 15b(3)) potential to emit regulated contaminants (QUESTION 15d) potential for regulatory action

Required Training

[Note: This training is a regulatory requirement for one or more people involved in operations associated with identified hazards. Each class may not be required by all people working in the area.] Please note that some training classes are only provided occasionally. Please be sure to allow adequate lead-time for personnel to schedule and complete training.]

Printed: 07/19/2010

Results Based On Answers

NONE

The results in this PHS were based on the following answers to interview questions: Q 0 answered: Y; Q 5 answered: Y; Q 5c answered: Y; Q 5e answered: Y; Q 5g answered: Y; Q 5h answered: Y; Q 5h answered: Y; Q 5h answered: Y; Q 6a(2) answered: N; Q 6d(1) answered: N; Q 7 answered: Y; Q 7a answered: N; Q 7b answered: Y; Q 8 answered: Y; Q 8a answered: Y; Q 8a(1) answered: N; Q 9a answered: Y; Q 15 answered: Y; Q 15a(1) answered: Y; Q 15b answered: Y; Q 15b(3) answered: Y; Q 15d answered: Y;

Interquestion Dependency Concerns for this Facility or Lab document:

(none)

PHS Number: SNL06A00922-004 Page 27 of 28

Title: CINT Rms: 1522 & 1523 - Lithography Bay and Chase Printed: 07/19/2010

XI. EOC Concerns

Chemical; Energized Electrical; Energized Mechanical; Environmental Concerns; Other Hazard; Non-ionizing Radiation

PHS Number: SNL06A00922-004 Page 28 of 28